# RESOLUTION NO. 2024-

RE: CERTIFICATE OF APPROPRIATENESS UNDER THE PROVISIONS OF THE ACT OF PENNSYLVANIA LEGISLATURE 1961, JUNE 13, P. L. 282 (53 SECTION 8004) AND BETHLEHEM ORDINANCE NO. 3952 AS AMENDED.

The applicant/owner of the property located at 127 East Wall Street proposes to replace the leaking slate line shingled roof with GAF Slateline architectural shingles. If chimney flashing is beyond repair, fabricated in-kind aluminum step and counter flashing will replace the damaged flashing. The Applicant also proposes to repair and replace the roof eave and rake trim board which will be painted to match the existing.

NOW, THEREFORE, BE IT RESOLVED by the Council of the City of Bethlehem that a Certificate of Appropriateness is hereby granted for the proposal.

Sponsored by	y: /s/	
	/s/	
ADOPTED BY THE COUNCIL THIS	DAY OF	, 2024.
	/s/ President of Council	
ATTEST:		
/s/City Clerk		

### **HISTORICAL & ARCHITECTURAL REVIEW BOARD**

APPLICATION #4: The applicant/owner of the property located at 127 East Wall Street proposes to

replace the leaking slate line shingled roof with GAF Slateline architectural shingles. If chimney flashing is beyond repair, fabricated in-kind aluminum step and counter flashing will replace the damaged flashing. The Applicant also proposes to repair and replace the roof eave and rake trim board which will be

painted to match the existing.

OWNER: Ian van Halem

127 East Wall Street Bethlehem, PA 18018

The Board upon motion by Nik Nikolov and seconded by Diana Hodgson adopted the proposal that City Council issue a Certificate of Appropriateness for the replacement of the leaking slate line shingled roof with GAF Slateline shingles, replace aluminum chimney flashing, and repair and replace the roof eave and rake trim board which will be painted to match the existing, with the following conditions;

- 1. The Applicant must submit for and secure a Building Permit from the City of Bethlehem.
- 2. The new shingle color will match the existing shingle color.
- 3. All roof flashings shall be of a real copper material.
- 4. All roof edge materials shall match the color of the adjacent trim.
- 5. The existing gutters and downspouts will remain.

The vote was unanimous to approve the replacement of the leaking slate line shingled roof with GAF Slateline shingles, replace aluminum chimney flashing, and repair and replace the roof eave and rake trim board which will be painted to match the existing, as per the motion.

#### **Guideline Citation:**

Secretary of Interior Standards No.(s)

- #2 The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.
- #5 Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a property shall be preserved.
- #6 Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence.
- <u>#9</u> New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property. The new work shall be differentiated from the old and will be compatible with historic materials, features, size, scale and proportion, and massing to protect the integrity of the historic property and its environment.

#10 New additions and adjacent or related new construction will be undertaken in such manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

# Bethlehem Historic District Design Guidelines

Page 7: Roofing:

The HARB encourages,

- Replacement of roofing materials when beyond repair, matching original color, pattern, material, and texture
- Replacement roof materials or new materials for additions and new construction that are sympathetic in appearance to historic materials
- Retention of decorative roof elements such as chimneys, cupolas, cresting, finials, eaves, and cornices
- Maintaining existing roof forms and heights for existing buildings or additions and using sympathetic roof forms and heights for new construction
- Retaining built-in gutters and open valley flashing
- Installing shingle caps along ridge or extending vents continuously to end of ridge
- Painting drip edges to match adjacent trim
- Installing half-round gutters and plain round downspouts
- Installing flashing on top of cornices to prolong their longevity, painted to match cornice color

## The HARB discourages,

- Adding or altering rooftop features at areas visible from a public way that change a roof configuration, such as skylights, television antennae or dishes, solar collectors, mechanical equipment, roof decks, chimney stacks, and dormer windows
- Adding new features that are out of character, scale, materials, or detailing to the historic building
- Altering, enclosing, or removing historic eaves and cornices

**Evaluation, Effect on Historic District, Recommendations**: The proposed work conforms with the intent of the Secretary of the Interior's Standards for Rehabilitation and the Bethlehem Historic District Design Guidelines and will have no negative impact to the historic district.

Date of Meeting: September 4, 2024

By: H. Joseph Phillips
Title: Historic Officer

74. Joseph Whillips