# RESOLUTION NO. 2025-

RE: CERTIFICATE OF APPROPRIATENESS UNDER THE PROVISIONS OF THE ACT OF PENNSYLVANIA LEGISLATURE 1961, JUNE 13, P. L. 282 (53 SECTION 8004) AND BETHLEHEM ORDINANCE NO. 3952 AS AMENDED.

The applicant/owner of the property located at 400 Main Street proposes to replace wood balusters on the Bell Tower of the Central Moravian Church, as needed and in-kind.

NOW, THEREFORE, BE IT RESOLVED by the Council of the City of Bethlehem that a Certificate of Appropriateness is hereby granted for the proposal.

Sponsored by	v: /s/	
	/s/	
ADOPTED BY THE COUNCIL THIS	_ DAY OF	, 2025.
	/s/President of Council	
ATTEST:		
/s/City Clerk		

# **HISTORICAL & ARCHITECTURAL REVIEW BOARD**

APPLICATION #4: The applicant/owner of the property located at 400 Main Street proposes to

replace wood balusters on the Bell Tower of the Central Moravian Church, as

needed and in-kind.

OWNER: Central Moravian Church

400 Main Street Bethlehem, PA 18018

The Board upon motion by Joe McGavin and seconded by Michael Simonson adopted the proposal that City Council issue a Certificate of Appropriateness for the replacement of wood balusters on the Bell Tower of the Central Moravian Church, as needed and in-kind, with the following conditions;

- 1. All new woodwork to match existing in size, scale, and detailing.
- 2. Paint color to match existing.

The vote was unanimous to approve the replacement of wood balusters on the Bell Tower of the Central Moravian Church, as needed and in-kind, as per the motion.

#### **Guideline Citation:**

Secretary of Interior Standards No.(s)

#2 The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.

- #5 Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a property shall be preserved.
- #6 Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence.
- #9 New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property. The new work shall be differentiated from the old and will be compatible with historic materials, features, size, scale and proportion, and massing to protect the integrity of the historic property and its environment.
- #10 New additions and adjacent or related new construction will be undertaken in such manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

Bethlehem Historic District Design Guidelines

Page 8: Exterior Woodwork & Siding:

The HARB encourages,

- Regularly maintaining and repainting exterior woodwork including repainting, and addressing
  potential areas of moisture including clogged gutters and downspouts, groundwater, leaky pipes,
  and interior condensation
- Retaining decorative woodwork since it is a character defining element that can be difficult to replace
- Repairing smaller areas of deterioration by reinforcing or patching small cracks and checks can
  be repaired with an exterior wood filler, glue, or epoxy Loose elements can be refastened with
  nailing or drilling and screwing
- Selectively replacing deteriorated wood elements that are beyond repair with wood pieces that match the size, profile, exposure and pattern, and character of the historic wood element Wood filler in the joints between the new and old wood will help provide a smooth finish
- Large scale or significant replacement of exterior wood siding with paintable material that match the size, profile, exposure, pattern, and character of the historic wood

#### The HARB discourages,

- Removing or encapsulating with vinyl or aluminum siding, trim, decorative features, and trim elements such as brackets, spindles, cornices, columns, posts, etc.
- Vinyl or aluminum siding over wood, brick, stone or stucco
- Wood grained, wavy edged, vertical and textured plywood simulated siding
- Installing non-wood trim

## Page 8: Paint:

## The HARB encourages,

• Hand washing with mild detergent and bristle brush, hand scraping, and hand sanding

#### The HARB discourages,

- Rotary tools disks can leave circular marks and wires can tear into the surface
- Heat guns and heat plate can ignite paint or underlying surface if left in one location too long
- Chemical paint removers can raise grains, be expensive, and potentially volatile; runoff can be hazardous
- Flame tools, blow torches to soften paint smoldering sparks can potentially start a fire; lead components in paint can vaporize and create highly toxic fumes
- Sandblasting can be abrasive to surface, wear away protective exterior coating and raise the wood grain

• High-pressure water wash – forces water into open joints affecting interior finishes and structural framing; can be abrasive to exterior surface and raise the grain.

**Evaluation, Effect on Historic District, Recommendations**: The proposed work conforms with the intent of the Secretary of the Interior's Standards for Rehabilitation and the Bethlehem Historic District Design Guidelines and will have no negative impact to the historic district.

Date of Meeting: July 16, 2025

By: H. Joseph Phillips

74. Joseph Phillips

Title: Historic Officer