

APPLICATION FOR CERTIFICATE OF APPROPRIATENESS (COA)

Building address 234 East Market St, Bethlehem, PA 18018

Owner of building Frank and Beth Boyer Phone [REDACTED]

Owner's **email** & mailing address [REDACTED]

Applicant Frank Boyer Phone: [REDACTED]

Applicant's **email** & mailing address [REDACTED]

Street and Number 234 East Market St City Bethlehem State PA Zip Code 18018

APPLICANT MUST ATTEND MEETING FOR CASE TO BE HEARD.
USE THE CHECKLIST ON THE BACK OF THIS APPLICATION TO ENSURE YOUR SUBMISSION IS COMPLETE.

Historic & Architectural Review Board – Application form, photographs, and drawings must be submitted 2 weeks prior to the regular scheduled meeting in order to be placed on the agenda for the next meeting.

South Bethlehem & Mount Airy Historic Conservation Commission - Application form, photographs, and drawings must be submitted 2 weeks prior to the regular scheduled meeting in order to be placed on the agenda for the next meeting.

1. PHOTOGRAPHS - Photographs of your building and neighboring buildings **must accompany** your application.

2. TYPE OF WORK PROPOSED -- Check all that apply. Please bring any samples or manufactures specifications for products you will use in this project.

<input type="checkbox"/> Trim and decorative woodwork	<input type="checkbox"/> Skylights
<input type="checkbox"/> Siding and Masonry	<input type="checkbox"/> Metal work
<input checked="" type="checkbox"/> Roofing, gutter and downspout	<input type="checkbox"/> Light fixtures
<input type="checkbox"/> Windows, doors, and associated hardware	<input type="checkbox"/> Signs
<input type="checkbox"/> Storm windows and storm doors	<input type="checkbox"/> Demolition
<input type="checkbox"/> Shutters and associated hardware	<input type="checkbox"/> Other _____
<input type="checkbox"/> Paint (Submit color chips – HARB only)	

3. DRAWINGS OF PROPOSED WORK – Required drawings **must accompany** your application. Please submit **ONE ORIGINAL AND TEN (10) COPIES OF DRAWINGS, PHOTOGRAPHS, APPLICATION FORM, AND ANY SPECIFICATIONS**

Alteration, renovation, restoration (1/4 or 1/8"=1'0" scale drawings required IF walls or openings altered.)

New addition (1/4" or 1/8"=1'0" scale drawings: elevations, floor plans, site plan)


New building or structure (1/4" or 1/8"=1'0" scale drawings: elevations, floor plans, site plan)

Demolition, removal of building features or building (1/4" or 1/8"=1'0" scale drawings: elevation of remaining site and site plan)

A scale drawing, with an elevation view, is required for all sign submittals

4. DESCRIBE PROJECT – Describe any work checked in #2 and #3 above. Attach additional sheets as needed.

Existing slate shingles on the house only, not the garage, will be removed and replaced with GAF Slateline Shingles. Color Antique Slate. Existing gutters and downspouts will not be replaced.

5. APPLICANT'S SIGNATURE  **DATE:** 4/21/2022

PRODUCT INFORMATION SHEET

Slateline® Shingles

The Look of Slate...At A Fraction Of The Cost



PRODUCT INFORMATION

"Slateline's bold shadow lines and tapered cut-outs create the appearance of depth and dimension."

Slateline® Value Collection Lifetime Designer Shingles Offer You These Great Benefits:

- **Affordable Luxury** . . . Slateline® Shingles are only a fraction of the cost of traditional slate or wood shakes
- **Sophisticated Design** . . . Artisan-crafted shapes combined with oversized tabs and a dimensional design result in a sophisticated beauty unmatched by typical shingles
- **Custom Color Palette** . . . Specially formulated color palette is designed to accentuate the shingle's natural appeal
- **High Performance** . . . Designed with Advanced Protection® Shingle Technology, which reduces the use of natural resources while providing excellent protection for your home (visit gaf.com/aps to learn more)
- **StainGuard® Protection** . . . Helps ensure the beauty of your roof against unsightly blue-green algae¹
- **Highest Fire Rating** . . . Class A fire rating from Underwriters Laboratories
- **Stays In Place** . . . Dura Grip™ Adhesive seals each shingle tightly and reduces the risk of shingle blow-off. Shingles warranted to withstand winds up to 130 mph (209 km/h)²
- **The Ultimate Peace Of Mind** . . . Lifetime ltd. transferable warranty with Smart Choice® Protection (non-prorated material and installation labor coverage) for the first ten years³
- **Perfect Finishing Touch** . . . For the best look, use Timbertex® Premium Ridge Cap Shingles with StainGuard® protection⁴

¹See *GAF Shingle & Accessory Ltd. Warranty* for complete coverage and restrictions.

²This wind speed coverage requires special installation; see *GAF Shingle & Accessory Ltd. Warranty* for details.

³See *GAF Shingle & Accessory Ltd. Warranty* for complete coverage and restrictions. The word "Lifetime" refers to the length of coverage provided by the *GAF Shingle & Accessory Ltd. Warranty* and means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable.

⁴These products are not available in all areas. See www.gaf.com/ridgecapavailability for details.

COLORS/AVAILABILITY

- **COLORS:** Antique Slate, Emerald Green, English Gray, Royal Slate, and Weathered Slate
- **REGIONAL AVAILABILITY:** Northeast, Southeast, Southwest, and Central Areas

APPLICABLE STANDARDS & PROTOCOLS

- UL 790, Class A
- Miami-Dade County Product Control Approved 13-1104.08
- Florida Building Code Approved FL10124-R12
- UL 997 modified to 110 mph
- ASTM D7158, Class H
- ASTM D3161, Class F
- ASTM D3018, Type 1
- ASTM D3462
- ICC Approved ESR-1475, ESR-3267*
- Texas Department of Insurance
- CSA A123.5

Effective 7/1/08, existing NYC MEA's may be used but are no longer required.

*Obtained ESR 3267 evaluation from ICC Evaluation Services based on compliance with the requirements of AC438, an acceptance criteria established by ICC Evaluation Services to evaluate asphalt shingles that contains performance tests in addition to those required by the building code. (ICC Evaluation Services provides technical evaluations of building products that directly address the issue of code compliance. Building inspectors use these evaluation reports to help determine code compliance and enforce building regulations.)

PRODUCT/SYSTEM SPECIFICS**


- Fiberglass Asphalt Construction
- Dimensions (approx.): 17" x 40" (432 x 1,016 mm)
- Exposure: 7.5" (191 mm)
- Bundles/Square: 3
- Pieces/Square: 48
- Nails/Square: 288
- StainGuard® Protection: Yes
- Hip/Ridge: Timbertex®
- Starter: WeatherBlocker™

**Refer to complete published application instructions.

INSTALLATION

Detailed installation instructions are provided on the inside of each bundle wrapper of Slateline® Shingles. Installation instructions may also be obtained at www.gaf.com.

MILTON STREET



Boyer Residence

PROJ. NUMBER - 234E

234 E. Market Street
Bethlehem, PA.

DATE	02/19/2016
PROJECT	234 E. MARKET STREET
CLIENT	BOYER RESIDENCE
DESIGNER	BOYER RESIDENCE
DATE	02/19/2016

DATE	02/19/2016
PROJECT	234 E. MARKET STREET
CLIENT	BOYER RESIDENCE
DESIGNER	BOYER RESIDENCE
DATE	02/19/2016

C-1

1st Floor


COLOR:

SQ FT / STONE:

FINISH:

POLISHED LF/STONE:

DENOTES FINISHED STONE FACE



GROUND FLOOR (PROPOSED)

1/4" = 1'-0" — NEW

DRAWN BY:	R. JROSKI	REVISIONS:	
DATE:		1 01-24-2016	
SCALE:	1/8" = 1'-0"		PROJECT NAME: BOYER RESIDENCE - 234 E. MARKET BETHLEHEM, PA
CHK'D BY:			PROJECT NO. 234E

2nd Floor


COLOR:

SQ FT / STONE:

FINISH:

POLISHED LF/STONE:

█ DENOTES FINISHED STONE FACE



2nd FLOOR (PROPOSED)

1/4" = 1'-0" **█** = NEW

DRAWN BY:	R. JROSKI	REVISIONS:	
DATE:	1	01-24-2016	
SCALE:	1/8" = 1'-0"		PROJECT NAME: BOYER RESIDENCE - 234 E. MARKET BETHLEHEM, PA
CHK'D BY:			PROJECT NO. 234E



