


1

LEVEL 1 FLOOR PLAN

SCALE: 1/8" = 1'-0"


EXISTING BUILDING FACADE BEHIND MONUMENT WALL




1

ELEVATION - PARTIAL EAST BUILDING VIEW


SCALE: 1/8" = 1'-0"




1 ELEVATION - WEST
SCALE: 1/4" = 1'-0"




2 ELEVATION - NORTH
SCALE: 1/4" = 1'-0"



3 ELEVATION - SOUTH
SCALE: 1/4" = 1'-0"



4 SECTION - TYPICAL THRU STEEL TRUSS
SCALE: 3/4" = 1'-0"



1 324 S. NEW STREET



2 328 S. NEW STREET



3 333 S. NEW STREET



4 313 S. NEW STREET



5 1 E. 3rd STREET




6 13 W. 3rd STREET

BUILDING SIGNAGE



BUILDING SIGNAGE NOTE:
 ALUMINUM BACKER BOX, BLACK FINISH
 1/4" THICK ANODIZED ALUMINUM TEXT, BORDER, AND LINE

ROADWAY SIGN(S) ATTACHED TO MONUMENT WALL




REFLECTIVE CITY OF BETHLEHEM/PENNDOT APPROVED SIGNAGE. SIGNAGE IS LOCATED ON NORTH ELEVATION (DROP-OFF ENTRY)

"EXIT SIGN" CITY OF BETHLEHEM/PENNDOT APPROVED SIGNAGE. SIGNAGE IS LOCATED ON SOUTH ELEVATION (EXIT SIDE OF DROP-OFF)

NOTE: SIZE OF SIGNS MAY CHANGE BASED ON CITY OF BETHLEHEM & PENNDOT REQUIRED SIGNAGE. ADDITIONAL FREESTANDING SIGNAGE SHOWN ON SITE PLAN TO COMPLY WITH CITY OF BETHLEHEM & PENNDOT REQUIRED ROAD SIGNAGE.

1 WALL MOUNTED SIGNAGE

SCALE: 1" = 1'-0"



GENERAL BOLLARD DESCRIPTION:
 THE DECROATIVE BOLLARD FEATURES A NARROW BODY, SUITABLE FOR HIGH-TRAFFIC LOCATION AND LIGHTWEIGHT REMOVABILITY. THE BOLLARDS ARE MADE FROM A VERSATILE DUCTILE IRON, FEATURING DECORATIVE FLUTING AND SPHERICAL TOP CASTINGS.

- PARTS LIST (PER MANUFACTURE):**
1. DUCTILE IRON BASE/POST
 2. DUCTILE IRON CAP
 3. DROP-IN CONCRETE INSERT
 4. STAINLESS STEEL WASHER
 5. HEX BOLT
 6. HEXAGON SOCKET SET SCREW
 7. POLYETHYLENE PLUG



EXAMPLE PICTURE OF PROPOSED BOLLARD INSTALLED

1 FREESTANDING BOLLARDS

SCALE: 1" = 1'-0"

