
Revo C8. 11. 2023 FOR C9. OL 2023 LIARB

City of Bethlehem, Pennsylvania


APPLICATION FOR CERTIFICATE OF APPROPRIATENESS (COA)

260 East Wall Street, Bethlehem, PA 18018 Building address Owner of building Noor F. Al-Rashid & Ziyad F. Al-Rashid Phone 260 East Wall Street, Bethlehem, PA 18018 Owner's email & mailing address Applicant Noor F. Al-Rashid & Ziyad F. Al-Rashid Phone: 260 East Wall Street, Bethlehem, PA 18018 Applicant's email & mailing address City Street and Number State Zip Code APPLICANT MUST ATTEND MEETING FOR CASE TO BE HEARD. USE THE CHECKLIST ON THE BACK OF THIS APPLICATION TO ENSURE YOUR SUBMISSION IS COMPLETE. Application form, photographs, and drawings must be submitted (see attached for deadline) prior to the regular scheduled meeting in order to be placed on the agenda for the next meeting. PHOTOGRAPHS - Photographs of your building and neighboring buildings must accompany your application. 2. TYPE OF WORK PROPOSED - Check all that apply. Please bring any samples or manufactures specifications for products you will use in this project. Trim and decorative woodwork Skylights Siding and Masonry Metal work X Roofing, gutter and downspout Light fixtures Windows, doors, and associated hardware Signs Storm windows and storm doors Demolition Shutters and associated hardware Other Paint (Submit color chips - HARB only) 3. DRAWINGS OF PROPOSED WORK - Required drawings <u>must accompany</u> your application. Please submit <u>ONE</u> ORIGINAL AND TEN (10) COPIES OF DRAWINGS, PHOTOGRAPHS, APPLICATION FORM, AND ANY **SPECIFICATIONS** Alteration, renovation, restoration (1/4 or 1/8"=1'0" scale drawings required IF walls or openings altered.) New addition (1/4" or 1/8"=1'0" scale drawings: elevations, floor plans, site plan) New building or structure (1/4" or 1/8"=1"0" scale drawings: elevations, floor plans, site plan) Demolition, removal of building features or building (1/4" or 1/8"=1'0" scale drawings: elevation of remaining site and site plan) A scale drawing, with an elevation view, is required for all sign submittals 4. DESCRIBE PROJECT – Describe any work checked in #2 and #3 above. Attach additional sheets as needed. On the front side of the roof, remove existing roofing to the deck, and inspect the deck for any rotten/bad wood. Replace plywood. Install synthetic underlayment. Install GAF Royal Sovereign 3-Tab shingles (sample provided) Color: Charcoal. Install new drip edge and pipe flashings. Requesting 3-Tab to match remaining half of house roof and because GAF Slateline shingles increase cost of repair by \$ 1640.00. 5. APPLICANT'S SIGNATURE Eyal F. Al-Rushid noon 3 al-Rushid DATE: 8/9/2023 OWNER'S SIGNATURE Ziyal F. Al-Rashid noor J. M. Rashid DATE: 8/9/2023










ON TOP ROOFING PM LLC PO Box 416 Bethlehem, PA 18016 US +1 4845602869 ontoproofing3570@gmail.com



ADDRESS Ziyad Son



PROPERTY ADDRESS 260 E Wall St Bethlehem, Pa

ADVILE X MOUNTLY	jeschipión*	AMOUNT
Roof Replacement	Front side (7sq)	4,117.50

Remove existing roofing to the deck Inspect the deck for any rotten/bad wood Replace 4 sheets of plywood only on front side Any extra wood replacement will be an additional charge (cost

will be discussed)

Install synthetic underlayment

Install GAF Sovereign 3-tab shingles Install new drip edge and pipe flashings

Remove all job-related debris

Color: Charcoal

A 35% deposit is needed to start the project and balance is due upon completion

This estimate covers 1 layer of roofing any additional layers will be an extra charge (cost will be discussed)

If this is a commercial property permit fees subject to change




Accepted By **Accepted Date**

ON TOP ROOFING PM LLC

PO Box 416 Bethlehem, PA 18016 US +1 4845602869 ontoproofing3570@gmail.com



ADDRESS Ziyad Son



PROPERTY ADDRESS 260 E Wall St Bethlehem, Pa

A DATE AGMMITY	DESCRIPTION	A VINCANIE AFT
Roof Replacement	Front side (7sq)	5,758.00

Remove existing roofing to the deck Inspect the deck for any rotten/bad wood Replace 4 sheets of plywood only on front side Any extra wood replacement will be an additional charge (cost

will be discussed)

Install synthetic underlayment

Requirements

Install GAF Slateline shingles

Color: Antique slate

Per City of Bethlehem Historic District

Install new drip edge and pipe flashings

Remove all job-related debris

A 35% deposit is needed to start the project and balance is due upon completion

This estimate covers 1 layer of roofing any additional layers will be an extra charge (cost will be discussed)

If this is a commercial property permit fees subject to change



PRODUCT INFORMATION SHEET

Royal Sovereign® Shingles

English: (12" X 36" Shingles)

Beauty And Perform ance Meet Affordability





PRODUCT INFORMATION

"Professional contractors depend on Royal Sovereign® Shingles"

Royal Sovereign® Shingles Offer You These Great Benefits:

- Proven Quality ... Over 10 billion Royal Sovereign® Shingles have been installed in North America—enough to circle the Earth more than 200 times if they were laid end to end!
- Advanced Protection® Shingle
 Technology ... Reduces the use of precious natural resources while providing excellent protection for your home (visit gaf.com/aps to learn more)
- Looks Great... Color Lock™ Ceramic Firing (granules) helps maintain the true shingle color
- Excellent Wind Performance Meets ASTM D3161, Class F and ASTM 7158, Class H —

the highest wind ratings possible under these test methods

- Excellent Performance... Extra-strong Micro Weave[™] Core provides long life and durability
- **Highest Fire Rating** . . . Class Afire rating from Underwriters Laboratories
- Great For Resale... A new roof may increase your home's resale value
- Peace Of Mind ... 25-year ltd. transferable warranty with Smart Choice® Protection (non-prorated material and installation labor coverage) for the first five years¹

COLORS/AVAILABILITY

- COLORS: Ash Brown, Autumn Brown, Charcoal, Cypress Tan, Golden Cedar, Nickel Gray, Russet Red, Sandrift, Silver Lining, Slate, Summer Sage, Weathered Gray, and White
- REGIONAL AVAILABILITY: Northeast, Southeast, Southwest, and Central Areas

¹See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions.

²See http://www.gaf.com/Roofing/Residential/Products/Shingles/3 Tab/Royal Sovereign for color availability in your area

APPLICABLE STANDARDS & PROTOCOLS

- UL 790, Class A
- Miami-Dade County Product Control Approved 12-1127.03
- Florida Building Code Approved FL10124-R12
- UL 997 modified to 110 mph
- ASTM D7158, Class H
- ASTM D3161, Class F

- ASTM D3018, Type 1
- **ASTM D3462**
- ICC ESR-1475, ESR-3267*
- Texas Department of Insurance

Effective 7/1/08, existing NYC MEA's may be used but are no longer required.

*Obtained ESR 3267 evaluation from ICC Evaluation Services based on compliance with the requirements of AC438, an acceptance criteria established by ICC Evaluation Services to evaluate asphalt shingles that contains performance tests in addition to those required by the building code. (ICC Evaluation Services provides technical evaluations of building products that directly address the issue of code compliance. Building inspectors use these evaluation reports to help determine code compliance and enforce building regulations.)
**When installed properly, this product will help reduce energy costs. Actual savings will vary based on geographic location and individual building

characteristics. For more information, contact GAF Technical Services at 1-800-ROOF-411, visit gaf.com, or call 1-888-STAR-YES.

PRODUCT/SYSTEM SPECIFICS+

- Fiberglass Asphalt Construction
- Dimensions (approx.): 12" x 36"
- Exposure: 5"
- Bundles/Square: 3
- · Pieces/Square: 79
- Nails/Square: 316 (474 where 6 nails per shingle is required)^{††}
- StainGuard® Protection: Yes (Location dependent; contact Technical Services at 800.766.3411)
- Ridge Cap: Royal Sovereign® Shingle
- Starter: Pro-Start®; WeatherBlocker™

INSTALLATION

Detailed installation instructions are provided on the inside of each bundle wrapper of Royal Sovereign® Shingles. Installation instructions may also be obtained at www.gaf.com.

Refer to complete published installation instructions.

^{††}Required by some local codes.

GAF Royal Sovereign Charcoal 3-tab Roof Shingles Shop GAF ★★★★ ○ 583

Overview Specifications Product Features

Compare Reviews

Lowe's

Q&A

Specifications

ColonFinish Family Black	Manufacturer ColonFinish Charcoal	Royal Sovereign	34ab	Algae Resistant
	al	Sovereign		

	, es	Class A	o _N	No	Asphall	Bundle	Xes	90
E Features	Algae Resistant	Fire Rating	Impact Resistance	Laminated	Material	Package Type	Underlayment Required	Wind Rating (MPH)

	s) A Prop 65 WARNING(S) -	No
୍ଲା Certifications	CA Residents: Prop 65 Warning(s)	ENERGY STAR Certified

	3.0	Square feet	33.33	36.0	91.44	12.0	30.48
டு Dimensions	Bundles per 100 Sq Feet	Coverage Area Unit of Measure	Coverage Area per Package Quantity	Shingle Length (imperial) (Inches)	Shingle Length (metric) (Centimeters)	Shingle Width (imperial) (Inches)	Shingle Width (metric) (Centimeters)

	25-year limited		30151500
wantanny	Warranty	(;) Miscellaneous	UNSPSC