


1 REVISED 5TH FLOOR APT. PLAN
SCALE 1/4" = 1'-0"

WALL TYPE LEGEND

1	2-Hr Fire Rated Wall - (UL DES U901) Exposed F.H.H. - CHU Wall	7	Existing wall and deck
2	2-Hr Fire Rated Partition - 2x4 wood studs w/ 1/2" Type-X Gyp. Bd. (UL DES U901)	8	2-Hr Fire Rated Wall - (UL DES U901) Existing wall and deck
3	H-H Fire Rated Partition - (UL DES U 911) 2x4 wood studs w/ 1/2" Type-X Gyp. Bd. (UL DES U901)	9	Existing Existing 2x4 wood studs 3/4" Rigid Insulation from (R13.3) Cmt. Insulation w/ Exposed Deck in Interim
4	H-H Fire Rated Partition - (UL DES U 911) 2x4 wood studs w/ 1/2" Type-X Gyp. Bd. (UL DES U901)	10	Existing 2x4 wood studs 3/4" Rigid Insulation from (R13.3) Cmt. Insulation w/ Exposed Deck in Interim
5	1-Hr Fire Rated Partition - (UL DES U 911) 2x4 wood studs w/ 1/2" Type-X Gyp. Bd. (UL DES U901)	11	2-Hr Fire Rated Wall - (UL DES U901) Existing 2x4 wood studs 3/4" Rigid Insulation from (R13.3) Cmt. Insulation w/ Exposed Deck in Interim
6	1-Hr Fire Rated Partition - (UL DES U 911) 2x4 wood studs w/ 1/2" Type-X Gyp. Bd. (UL DES U901)	12	Existing 2x4 wood studs 3/4" Rigid Insulation from (R13.3) Cmt. Insulation w/ Exposed Deck in Interim
6A	Existing Wall 2-Hr Fire Rated Partition - (UL DES U901) 2x4 wood studs w/ 1/2" Type-X Gyp. Bd. (UL DES U901)	13	2-Hr Fire Rated Partition - (UL DES U901) 2x4 wood studs w/ 1/2" Type-X Gyp. Bd. (UL DES U901)

REVISIONS



ARCHITECTS
PORTNER & HETKE
1010 MONOCACY STREET, BETHLEHEM, PA 18010
TEL: 610-860-8000 FAX: 610-860-8001
WWW.PHARCHITECTS.COM

REVISED 5TH FLOOR APARTMENT

project no:

date: 03-20-23

scale: 1/4" = 1'-0"

drawn by: KWH

A-7

MONONCACY APARTMENTS
MONONCACY GENERAL CONTRACTING LLC
810 MONONCACY STREET, BETHLEHEM, PA